

Fixed Orifice, Lightweight, Constant Flow  
Fire Hose Nozzle



## Viper® SPARTAN®

### General Applications:

- Versatile, easy to use and available in four models with over 40 flow and pressure configurations to meet any demand
- Created for the extremes of today's firefighting

### Construction:

- Lightweight, hard coat anodized aluminum.
- Durable construction provides low maintenance with no spinning teeth to break.
- Raised protective rubber bumper lug for easy pattern identification.
- Full-time rocker lug swivel with ergonomic pistol grip.

### Features and Advantages:

**RYLSTATIC® Patented System** – The VIPER® SPARTAN® series comes standard with the innovative patented fog pattern called RYLSTATIC®.

RYLSTATIC® is a system that gives you a uniform water fog with smaller water droplets and less friction loss than other traditional systems.

VIPER® SPARTAN® nozzles are designed to operate with a wider fog shield of protection for the firefighter.

**Excellent Stream Performance** – at a variety of pressures ranging from 50 PSI (3.5 bar) to 100 PSI (7 bar)

**Approvals and Standards** – The VIPER® SPARTAN® nozzle is National Fire Protection Association (NFPA) 1964 compliant and is manufactured in an ISO 9001 accredited facility. European Standards (EN) 15182-1 and EN15182-2 type 3 Certificates are available by request.

**Warranty** – 5-year warranty.



## Patented Rylstatic® Technology

*The ultimate concept in firefighting nozzles!*

Fixed Orifice, Lightweight, Constant Flow  
Fire Hose Nozzle

**Viper® Spartan® 25 (1")**

Nozzle Part Number	Nozzle Model Number	Swivel Inlet (In)	50 PSI (gpm)	75 PSI (gpm)	6 BAR (lpm)	100 PSI (gpm)	Weight (each)	
							(lbs)	(kg)
I219931-007	VS25	1			19	5	2.72	1.23
I219931-008	VS25	1			50	15	2.72	1.23
I219931-009	VS25	1			150	30	2.72	1.23
I219931-010	VS25	1			250	60	2.72	1.23

**Viper® Spartan® 95 (1 1/2")**

Nozzle Part Number	Nozzle Model Number	Swivel Inlet (In)	50 PSI (gpm)	75 PSI (gpm)	6 BAR (lpm)	100 PSI (gpm)	Weight (each)	
							(lbs)	(kg)
I218839-000	VS95	1 1/2	60				3.53	1.60
I218839-001	VS95	1 1/2	75				3.53	1.60
I218839-002	VS95	1 1/2	95				3.53	1.60
I218839-003	VS95	1 1/2		60			3.53	1.60
I218839-004	VS95	1 1/2		75			3.53	1.60
I218839-005	VS95	1 1/2		95			3.53	1.60
I218839-006	VS95	1 1/2		125			3.53	1.60
I218839-007	VS95	1 1/2			250	60	3.53	1.60
I218839-008	VS95	1 1/2			360	75	3.53	1.60
I218839-009	VS95	1 1/2			400	95	3.53	1.60
I218839-010	VS95	1 1/2			500	125	3.53	1.60

**Viper® Spartan® 150 (1 1/2")**

Nozzle Part Number	Nozzle Model Number	Swivel Inlet (In)	50 PSI (gpm)	75 PSI (gpm)	6 BAR (lpm)	100 PSI (gpm)	Weight (each)	
							(lbs)	(kg)
I218847-000	VS150	1 1/2	95				4.96	2.25
I218847-001	VS150	1 1/2	125				4.96	2.25
I218847-002	VS150	1 1/2	150				4.96	2.25
I218847-003	VS150	1 1/2		95			4.96	2.25
I218847-004	VS150	1 1/2		125			4.96	2.25
I218847-005	VS150	1 1/2		150			4.96	2.25
I218847-006	VS150	1 1/2		175			4.96	2.25
I218847-007	VS150	1 1/2			500	125	4.96	2.25
I218847-008	VS150	1 1/2			550	150	4.96	2.25
I218847-009	VS150	1 1/2			650	175	4.96	2.25
I218847-010	VS150	1 1/2			750	200	4.96	2.25

**Fixed Orifice, Lightweight, Constant Flow  
Fire Hose Nozzle**

**Viper® Spartan® 300 (2 1/2")**

Nozzle Part Number	Nozzle Model Number	Swivel Inlet (In)	50 PSI (gpm)	75 PSI (gpm)	6 BAR (lpm)	100 PSI (gpm)	Weight (each)	
							(lbs)	(kg)
I219933 A-000	VS300	2 1/2	200				5.73	2.60
I219933 A-001	VS300	2 1/2	250				5.73	2.60
I219933 A-003	VS300	2 1/2		200			5.73	2.60
I219933 A-004	VS300	2 1/2		250			5.73	2.60
I219933 A-007	VS300	2 1/2			750	200	5.73	2.60
I219933 A-008	VS300	2 1/2			940	250	5.73	2.60
I219933 A-009	VS300	2 1/2			1030	275	5.73	2.60

**Viper® Spartan® 95 (1 1/2") Tip Only**

Nozzle Part Number	Nozzle Model Number	Swivel Inlet (In)	50 PSI (gpm)	75 PSI (gpm)	6 BAR (lpm)	100 PSI (gpm)	Weight (each)	
							(lbs)	(kg)
I230027-000	VS95	1 1/2	60				2.10	0.95
I230027-001	VS95	1 1/2	75				2.10	0.95
I230027-002	VS95	1 1/2	95				2.10	0.95
I230027-003	VS95	1 1/2		60			2.10	0.95
I230027-004	VS95	1 1/2		75			2.10	0.95
I230027-005	VS95	1 1/2		95			2.10	0.95
I230027-006	VS95	1 1/2		125			2.10	0.95
I230027-007	VS95	1 1/2			250	60	2.10	0.95
I230027-008	VS95	1 1/2			360	75	2.10	0.95
I230027-009	VS95	1 1/2			400	95	2.10	0.95
I230027-010	VS95	1 1/2			500	125	2.10	0.95

Viper® Spartan® 150 (1 1/2") Tip Only

Nozzle Part Number	Nozzle Model Number	Swivel Inlet (In)	50 PSI (gpm)	75 PSI (gpm)	6 BAR (lpm)	100 PSI (gpm)	Weight (each)	
							(lbs)	(kg)
I230026-000	VS150	1 1/2	95				3.20	1.45
I230026-001	VS150	1 1/2	125				3.20	1.45
I230026-002	VS150	1 1/2	150				3.20	1.45
I230026-003	VS150	1 1/2		95			3.20	1.45
I230026-004	VS150	1 1/2		125			3.20	1.45
I230026-005	VS150	1 1/2		150			3.20	1.45
I230026-006	VS150	1 1/2		175			3.20	1.45
I230026-007	VS150	1 1/2			500	125	3.20	1.45
I230026-008	VS150	1 1/2			550	150	3.20	1.45
I230026-009	VS150	1 1/2			650	175	3.20	1.45
I230026-010	VS150	1 1/2			750	200	3.20	1.45